



Safety Data Sheet

Issue date 29-Jan-2021

Revision date 29-Jan-2021

Revision Number 1

1. IDENTIFICATION

Product identification

Product identifier Kent®Rearview Mirror Adhesive (Adhesive)

Other means of identification 1631310A

Recommended use Adhesive

Restrictions on use For industrial use only

Supplier

Corporate Headquarters:
Kent Automotive
8770 W. Bryn Mawr Ave.- Suite 900
Chicago, IL 60631
(888)-937-5368

Canadian Distribution Center:
Lawson Canada
7315 Rapistan Court
Mississauga, ON L5N 5Z4
(800) 323-5922

24 Hour Emergency Phone Number (888) 426-4851 (Prosar)

Website <https://www.lawsonproducts.com>

2. HAZARD(S) IDENTIFICATION

Hazard Classification

Skin corrosion/irritation	Category 1A
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

Symbol



Signal word

DANGER

Hazard statements

H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H335 - May cause respiratory irritation

Precautionary statements

General	P102 - Keep out of reach of children P103 - Read label before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P262 - Do not get in eyes, on skin, or on clothing P264 - Wash hands thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing and eye/face protection
Response	
General	P314 - Get medical advice/attention if you feel unwell. P321 - For Specific treatment see section 4 of this sds
Eyes	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention
Skin	P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
Inhalation	P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P312 - Call a POISON CENTER or doctor if you feel unwell
Ingestion	P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
Fire	Not available
Spill	See section 6
Storage	P405 - Store locked up P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
Disposal	P501 -Dispose of contents and container in accordance with local, regional, and federal regulations.
Hazard(s) Not Otherwise Classified (HNOC)	Not available.
Physical Hazards Not Otherwise Classified (PHNOC)	Not available.
Unknown acute toxicity	No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition Mixture, This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical name	CAS-No	Weight %
2-Hydroxyethyl methacrylate	868-77-9	20-40

Acrylic acid	79-10-7	5-10
Quinone	106-51-4	1-5
Maleic acid	110-16-7	1-5
Ethylene glycol	107-21-1	1-5
Cumene hydroperoxide	80-15-9	0.100-5
2-Methoxy-1-Methylethylacetate	108-65-6	0.15-0.3
Cumene	98-82-8	0.02-0.155
Acetic acid	64-19-7	0.0001-0.0002
2,6-di-tert-butyl-p-cresol	128-37-0	3

4. FIRST-AID MEASURES

Necessary first-aid measures

Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting. Seek medical attention immediately. Seek medical advice and bring SDS or label.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.
Most important symptoms (acute)	May cause allergic skin reaction. Causes skin irritation. Causes eye irritation. May cause respiratory irritation.
Most important symptoms (over-exposure)	May cause skin sensitization.
Indication of any immediate medical attention and special treatment needed	No further relevant information available.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Alcohol resistant foam. Carbon dioxide (CO ₂). Water spray.
Unsuitable extinguishing media	Not available.
Specific hazards	Hazardous Thermal Decomposition Products:.. Carbon dioxide. Carbon monoxide. fumes.
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up and/or explosion when exposed to extreme heat.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Wear personal protective equipment. Ventilate the area.
Methods and materials for containment and	Large Spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry in sewers, water courses, basements or confined areas. Wash

cleaning up

spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Small Spill: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. HANDLING AND STORAGE

Precautions for safe handling

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes, skin, and clothing. Store in a cool, dry, and well-ventilated place.

Conditions for safe storage, including any incompatibilities

Protect from sunlight. Store in a well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	OSHA PEL (TWA)	ACGIH OEL (TWA)	NIOSH - TWA
2-Hydroxyethyl methacrylate	-	-	-
Acrylic acid	-	2 ppm TWA Skin	2 ppm TWA 6 mg/m ³ TWA
Quinone	0.1 ppm TWA 0.4 mg/m ³ TWA	0.1 ppm TWA	0.1 ppm TWA 0.4 mg/m ³ TWA
Maleic acid	-	-	-
Ethylene glycol	-	25 ppm TWA	-
Cumene hydroperoxide	-	-	-
2-Methoxy-1-Methylethylacetate	-	-	-
Cumene	50 ppm TWA 245 mg/m ³ TWA	50 ppm TWA	50 ppm TWA 245 mg/m ³ TWA
Acetic acid	10 ppm TWA 25 mg/m ³ TWA	10 ppm TWA	10 ppm TWA 25 mg/m ³ TWA
2,6-di-tert-butyl-p-cresol	-	2 mg/m ³ TWA	10 mg/m ³ TWA

Appropriate engineering controls

A safety shower and eye wash station should be available for emergency use. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment**Eye protection**

Use chemical-resistant glasses and/or goggles and a face shield when eye and face contact is possible due to handling and processing of material.

Skin and body protection

Rubber gloves. Wear protective gloves and protective clothing. Wash contaminated clothing before reuse.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Wear a NIOSH approved organic vapor/mist respirator.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands after handling the product. Washing hands, face, neck and arms thoroughly before eating or smoking is recommended.

Canadian Province Occupational Exposure Limits

Chemical name	AB	BC	MB	NB	NL	NS	ON	PE	QC	SK
---------------	----	----	----	----	----	----	----	----	----	----

Chemical name	AB	BC	MB	NB	NL	NS	ON	PE	QC	SK
2-Hydroxyethyl methacrylate	-	-	-	-	-	-	-	-	-	-
Acrylic acid	2 ppm TWA 5.9 mg/m ³ TWA	2 ppm TWA	2 ppm TWA	2 ppm TWA 5.9 mg/m ³ TWA	2 ppm TWA	2 ppm TWA	2 ppm TWA	2 ppm TWA	2 ppm TWA 5.9 mg/m ³ TWA	2 ppm TWA
Quinone	0.1 ppm TWA 0.4 mg/m ³ TWA	0.1 ppm TWA	0.1 ppm TWA	0.1 ppm TWA 0.44 mg/m ³ TWA	0.1 ppm TWA	0.1 ppm TWA	0.1 ppm TWA	0.1 ppm TWA	0.1 ppm TWA 0.44 mg/m ³ TWA	0.1 ppm TWA
Maleic acid	-	-	-	-	-	-	-	-	-	-
Ethylene glycol	-	10 mg/m ³ TWA	25 ppm TWA	-	25 ppm TWA	25 ppm TWA	-	25 ppm TWA	-	-
Cumene hydroperoxide	-	-	-	-	-	-	-	-	-	-
2-Methoxy-1-Methyl ethylacetate	-	50 ppm TWA	-	-	-	-	50 ppm TWA 270 mg/m ³ TWA	-	-	-
Cumene	50 ppm TWA 246 mg/m ³ TWA	25 ppm TWA	50 ppm TWA	50 ppm TWA 246 mg/m ³ TWA	50 ppm TWA	50 ppm TWA	50 ppm TWA	50 ppm TWA	50 ppm TWA 246 mg/m ³ TWA	50 ppm TWA
Acetic acid	10 ppm TWA 25 mg/m ³ TWA	10 ppm TWA	10 ppm TWA	10 ppm TWA 25 mg/m ³ TWA	10 ppm TWA	10 ppm TWA	10 ppm TWA	10 ppm TWA	10 ppm TWA 25 mg/m ³ TWA	10 ppm TWA
2,6-di-tert-butyl-p-cresol	10 mg/m ³ TWA	2 mg/m ³ TWA	2 mg/m ³ TWA	10 mg/m ³ TWA	2 mg/m ³ TWA	2 mg/m ³ TWA	2 mg/m ³ TWA	2 mg/m ³ TWA	-	2 mg/m ³ TWA

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid
Color	Amber
Odor	Characteristic Irritating sharp odor
Odor threshold	Not available
Melting point/range °C	Not available
Melting point/range °F	Not available
Boiling point/range °C	>148 °C
Boiling point/range °F	>300 °F
Flash point °C	>93
Flash point °F	>200
Flash point method used	Pensky-Martens C.C.
Evaporation rate	Not available
Flammability (Solid, Gas)	Not applicable
Lower explosion limit	Not available
Upper explosion limit	Not available
Vapor pressure	<5 mmHg @27°C(80°F)

Vapor density	Not available
Relative density	1.09
Solubility	Not available
Partition coefficient (n-octanol/water)	Not available
Autoignition temperature °C	Not available
Autoignition temperature °F	Not available
Decomposition temperature °C	Not available
Decomposition temperature °F	Not available
Viscosity	Not available

10. STABILITY AND REACTIVITY

Reactivity	Hazardous polymerization does not occur.
Chemical stability	Stable at normal temperature and pressure.
Possibility of hazardous reactions	Avoid contact with incompatible materials.
Conditions to avoid	Do not store at elevated temperatures. Avoid contact with any reactive material.
Incompatible materials	Strong acids. Alkalis.
Hazardous decomposition products	Carbon dioxide (CO ₂). Carbon monoxide. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	Dermal. Inhalation. Ingestion. Eyes.
Symptoms	Eye and skin irritant. Irritation of the nose or throat. May cause irritation of respiratory tract. Prolonged or repeated contact may dry the skin and cause sensitization.
Delayed and immediate effects as well as chronic effects from short and long-term exposure	Not available.

Numerical measures of toxicity

Chemical name	Inhalation LC50:	Dermal LD50:	Oral LD50:
2-Hydroxyethyl methacrylate	-	= 5050 mg/kg Rat >3000 mg/kg Rabbit	5050 mg/kg Rat > 3000 mg/kg Rabbit
Acrylic acid	3.6 mg/L Rat 11.1 mg/L Rat	= 193 mg/kg Rat = 33500 µg/kg Rat 295 mg/kg Rabbit	193 mg/kg Rat = 280 µL/kg Rabbit = 295 mg/kg Rabbit
Quinone	-	= 130 mg/kg Rat	130 mg/kg Rat
Maleic acid	>720 mg/m ³ Rat	= 708 mg/kg Rat 1560 mg/kg Rabbit	708 mg/kg Rat = 1560 mg/kg Rabbit
Ethylene glycol	-	= 4700 mg/kg Rat	4700 mg/kg Rat

Chemical name	Inhalation LC50:	Dermal LD50:	Oral LD50:
		10600 mg/kg Rat	= 10600 mg/kg Rat = 9530 µL/kg Rabbit
Cumene hydroperoxide	220 ppm Rat	= 382 mg/kg Rat 0.126 mL/kg Rabbit	382 mg/kg Rat = 0.126 mL/kg Rabbit
2-Methoxy-1-Methylethylacetate	-	= 8532 mg/kg Rat >5 g/kg Rabbit	8532 mg/kg Rat > 5 g/kg Rabbit
Cumene	>3577 ppm Rat	= 1400 mg/kg Rat 12300 µL/kg Rabbit	1400 mg/kg Rat = 12300 µL/kg Rabbit
Acetic acid	11.4 mg/L Rat	= 3310 mg/kg Rat 1060 mg/kg Rabbit	3310 mg/kg Rat = 1060 mg/kg Rabbit
2,6-di-tert-butyl-p-cresol	-	> 2930 mg/kg Rat >2000 mg/kg Rat	>2930 mg/kg Rat > 2000 mg/kg Rat

ATEmix (dermal) Not available

ATEmix (oral) Not available

ATEmix (inhalation-gas) Not available

ATEmix (inhalation-vapor) Not available

ATEmix (inhalation-dust/mist) Not available

Carcinogenicity

Chemical name	ACGIH OEL - Carcinogens	IARC	OSHA Carcinogens	NTP
2-Hydroxyethyl methacrylate	-	-	-	-
Acrylic acid	A4	Group 3	-	-
Quinone	-	Group 3	-	-
Maleic acid	-	-	-	-
Ethylene glycol	A4	-	-	-
Cumene hydroperoxide	-	-	-	-
2-Methoxy-1-Methylethylacetate	-	-	-	-
Cumene	-	Group 2B	Present	Reasonably Anticipated Carcinogen
Acetic acid	-	-	-	-
2,6-di-tert-butyl-p-cresol	A4	Group 3	-	-

Canadian Province carcinogenicity limits

Chemical name	Alberta - Carcinogen	British Columbia - Carcinogen	Manitoba - Carcinogen	New Brunswick - Carcinogen	Nova Scotia - Carcinogen	Quebec - Carcinogen
2-Hydroxyethyl methacrylate	-	-	-	-	-	-
Acrylic acid	-	-	ACGIH A4	ACGIH A4	ACGIH A4	-
Quinone	-	-	-	-	-	-
Maleic acid	-	-	-	-	-	-
Ethylene glycol	-	-	ACGIH A4	ACGIH A4	ACGIH A4	-
Cumene hydroperoxide	-	-	-	-	-	-
2-Methoxy-1-Methylethylacetate	-	-	-	-	-	-
Cumene	-	IARC 2B	-	-	-	-

Chemical name	Alberta - Carcinogen	British Columbia - Carcinogen	Manitoba - Carcinogen	New Brunswick - Carcinogen	Nova Scotia - Carcinogen	Quebec - Carcinogen
Acetic acid	-	-	-	-	-	-
2,6-di-tert-butyl-p-cresol	-	-	ACGIH A4	ACGIH A4	ACGIH A4	-

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish LC50
2-Hydroxyethyl methacrylate	-	213 - 242mg/L Pimephales promelas 96h = 227mg/L Pimephales promelas 96h
Acrylic acid	=0.17mg/L Pseudokirchneriella subcapitata 96h =0.04mg/L Desmodesmus subspicatus 72h	= 222mg/L Brachydanio rerio 96h
Quinone	-	= 0.045mg/L Oncorhynchus mykiss 96h
Maleic acid	-	= 5mg/L Pimephales promelas 96h
Ethylene glycol	6500 - 13000mg/L Pseudokirchneriella subcapitata 96h	14 - 18mL/L Oncorhynchus mykiss 96h 40000 - 60000mg/L Pimephales promelas 96h = 16000mg/L Poecilia reticulata 96h = 27540mg/L Lepomis macrochirus 96h = 40761mg/L Oncorhynchus mykiss 96h = 41000mg/L Oncorhynchus mykiss 96h
Cumene hydroperoxide	-	= 3.9mg/L Oncorhynchus mykiss 96h
2-Methoxy-1-Methylethyl acetate	-	= 161mg/L Pimephales promelas 96h
Cumene	=2.6mg/L Pseudokirchneriella subcapitata 72h	6.04 - 6.61mg/L Pimephales promelas 96h = 2.7mg/L Oncorhynchus mykiss 96h = 4.8mg/L Oncorhynchus mykiss 96h = 5.1mg/L Poecilia reticulata 96h
Acetic acid	-	= 75mg/L Lepomis macrochirus 96h = 79mg/L Pimephales promelas 96h
2,6-di-tert-butyl-p-cresol	=6mg/L Pseudokirchneriella subcapitata 72h >0.42mg/L Desmodesmus subspicatus 72h	= 5mg/L Oryzias latipes 48h

Persistence and degradability No data available.

Bioaccumulation Not available

Chemical name	CAS-No	Partition coefficient (log Kow)	Bioconcentration factor (BCF)
2-Hydroxyethyl methacrylate 868-77-9	868-77-9	0.47	1.34 - 1.54
Acrylic acid 79-10-7	79-10-7	0.38 - 0.46 at 25 °C	-
Quinone 106-51-4	106-51-4	-	-
Maleic acid 110-16-7	110-16-7	-0.79 - 0.32	10 species: fish
Ethylene glycol 107-21-1	107-21-1	-1.93	-
Cumene hydroperoxide 80-15-9	80-15-9	-	35.5
2-Methoxy-1-Methylethylacetate 108-65-6	108-65-6	0.43	-
Cumene 98-82-8	98-82-8	3.7 (EU2016/266)	35.5 species: fish
Acetic acid 64-19-7	64-19-7	-0.31 at 20 °C	-

Chemical name	CAS-No	Partition coefficient (log Kow)	Bioconcentration factor (BCF)
2,6-di-tert-butyl-p-cresol 128-37-0	128-37-0	4.17	230 - 2500 BCF method: OECD 305C

Mobility in soil Not available.

Other adverse effects Not available

13. DISPOSAL CONSIDERATIONS

Disposal information Dispose of all product, residues and clean-up materials in accordance with local, state, and federal regulations.

Contaminated packaging Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.

14. TRANSPORTATION INFORMATION

Shipping Descriptions

DOT

ID-No UN3316
 Proper shipping name Chemical Kit
 Hazard Class(es) 9
 Packing group II
 Marine pollutant Yes.
 Special Provisions LTD QTY

TDG

ID-No UN3316
 Proper shipping name Chemical Kit
 Hazard Class(es) 9
 Packing group II
 Marine pollutant No.
 Special Provisions LTD QTY

IATA

ID-No UN3316
 Proper shipping name Chemical Kit
 Hazard Class(es) 9
 Packing group II
 Special Provisions LTD QTY

IMDG/IMO

ID-No UN3316
 Proper shipping name Chemical Kit
 Hazard Class(es) 9
 Packing group II
 Marine pollutant Yes
 Special Provisions LTD QTY

Marine Pollutants

Chemical name	CAS-No	USDOT Marine Pollutant	Canada TDG Marine Pollutant	IMDG Marine Pollutant
2-Hydroxyethyl methacrylate	868-77-9	-	-	-
Acrylic acid	79-10-7	X	-	X
Quinone	106-51-4	-	-	-
Maleic acid	110-16-7	-	-	-
Ethylene glycol	107-21-1	-	-	-
Cumene hydroperoxide	80-15-9	-	-	-

Chemical name	CAS-No	USDOT Marine Pollutant	Canada TDG Marine Pollutant	IMDG Marine Pollutant
2-Methoxy-1-Methylethylacetate	108-65-6	-	-	-
Cumene	98-82-8	-	-	-
Acetic acid	64-19-7	-	-	-
2,6-di-tert-butyl-p-cresol	128-37-0	-	-	-

Special Precautions

Multi-modal shipping descriptions are provided for informational purposes and do not consider container size. The presence of a shipping description for a particular mode of transport (sea, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport. People loading and unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations.

15. REGULATORY INFORMATION

State regulations**U.S. state Right-to-Know regulations**

Chemical name	CAS-No	Massachusetts - RTK	New Jersey - RTK	Pennsylvania - RTK
2-Hydroxyethyl methacrylate	868-77-9	-	-	-
Acrylic acid	79-10-7	X	X	X
Quinone	106-51-4	X	X	X
Maleic acid	110-16-7	X	X	X
Ethylene glycol	107-21-1	X	X	X
Cumene hydroperoxide	80-15-9	X	X	X
2-Methoxy-1-Methylethylacetate	108-65-6	-	-	-
Cumene	98-82-8	X	X	X
Acetic acid	64-19-7	X	X	X
2,6-di-tert-butyl-p-cresol	128-37-0	X	X	X

California Prop. 65

WARNING: This product contains a chemical(s) known to the state of California to cause cancer, birth defects or other reproductive harm

Chemical name	CAS-No	California Prop. 65
2-Hydroxyethyl methacrylate	868-77-9	-
Acrylic acid	79-10-7	-
Quinone	106-51-4	-
Maleic acid	110-16-7	-
Ethylene glycol	107-21-1	Developmental
Cumene hydroperoxide	80-15-9	-
2-Methoxy-1-Methylethylacetate	108-65-6	-
Cumene	98-82-8	Carcinogen
Acetic acid	64-19-7	-
2,6-di-tert-butyl-p-cresol	128-37-0	-

U.S. Federal Regulations**US EPA SARA 313**

Chemical name	CAS-No	CERCLA/SARA Hazardous Substances RQ	SARA 313 - Threshold Values
2-Hydroxyethyl methacrylate	868-77-9	-	-
Acrylic acid	79-10-7	5000 lb 2270 kg	1.0 %
Quinone	106-51-4	10 lb 4.54 kg	1.0 %
Maleic acid	110-16-7	5000 lb 2270 kg	-
Ethylene glycol	107-21-1	5000 lb 2270 kg	1.0 %
Cumene hydroperoxide	80-15-9	10 lb 4.54 kg	1.0 %
2-Methoxy-1-Methylethylacetate	108-65-6	-	-
Cumene	98-82-8	5000 lb 2270 kg	0.1 %
Acetic acid	64-19-7	5000 lb 2270 kg	-
2,6-di-tert-butyl-p-cresol	128-37-0	-	-

**US EPA SARA 311/312
hazardous categorization**

Acute Health Hazard
Chronic Health Hazard
Fire Hazard
Reactive Hazard

TSCA and Canadian Inventories

Chemical name	Inventory - United States - Section 8(b) Inventory (TSCA)	U.S. - TSCA (Toxic Substances Control Act) - Section 12(b) - Export Notification	DSL	NDSL
2-Hydroxyethyl methacrylate	X	-	X	-
Acrylic acid	X	-	X	X
Quinone	X	-	X	-
Maleic acid	X	-	X	-
Ethylene glycol	X	-	X	-
Cumene hydroperoxide	X	-	X	-
2-Methoxy-1-Methylethylacetate	X	-	X	-
Cumene	X	-	X	-
Acetic acid	X	-	X	X
2,6-di-tert-butyl-p-cresol	X	-	X	-

Legend X - Listed

16. OTHER INFORMATION

NFPA

Health 2
Flammability 1
Instability 1

HMIS

Health 2
Flammability 1
Physical hazards 1
Personal protection B

Notice: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

Prepared by Regulatory Department

Issue date 29-Jan-2021

Revision date 29-Jan-2021

Revision note

Key to abbreviations

ACGIH (American Conference of Governmental Industrial Hygienists)
ATE (Average Toxicity Estimate)
DSL/NDL (Domestic Substance List/Non-Domestic Substance List)
HMIS (Hazardous Materials Identification System)
IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG/IMO (International Maritime Dangerous Goods/International Maritime Organization)
NFPA (National Fire Protection Association)
NTP (National Toxicology Program)
OEL (Occupational Exposure Level)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEL (Permissible Exposure Limit)
TSCA (Toxic Substance Control Act)
USEPA (United States Environmental Protection Agency)

Disclaimer

The information accumulated herein is believed to be accurate, but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

End of Safety Data Sheet