



Safety Data Sheet

Issue date 17-Mar-2020

Revision date 17-Mar-2020

Revision Number 1

1. IDENTIFICATION

Product identification

Product identifier	Direct Bury Splice Kit (Compound)
Other means of identification	95313
Recommended use	Sealant
Restrictions on use	For industrial use only

Supplier

Corporate Headquarters:
Lawson Products, Inc.
8770 W. Bryn Mawr Ave., Suite 900
Chicago, IL 60631
(866) 837-9908

Canadian Distribution Center:
Lawson Canada
7315 Rapistan Court
Mississauga, ON L5N 5Z4
(800) 323-5922

24 Hour Emergency Phone Number (888) 426-4851 (Prosar)

Website <https://www.lawsonproducts.com>

Methylene Chloride notification No Information Available

2. HAZARD(S) IDENTIFICATION

Hazard Classification While this material is not classified as hazardous under OSHA, GHS or WHMIS 2015 regulations, this SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Symbol Not applicable

Signal word Not applicable

Hazard statements None known

Precautionary statements

Response Not applicable

Storage Store in a well-ventilated place. Keep cool

Disposal Dispose of contents/container to comply with all local, state and federal regulations.

Hazard(s) Not Otherwise None.

Classified (HNOC)**Physical Hazards Not
Otherwise Classified
(PHNOC)**

None known.

Unknown acute toxicity

6% Unknown oral toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Composition**

Mixture.

Chemical name	CAS-No	Weight %
Mineral Oil	8042-47-5	40-60
Ethylene/propylene copolymer tube	9010-79-1	30-50
Arylalkylene Copolymer	TRADE SECRET	2-6

4. FIRST-AID MEASURES**Necessary first-aid measures** Under normal conditions of intended use, this product does not pose a risk to health.**Inhalation**

No specific treatment is necessary since this material is not likely to be hazardous by inhalation.

Ingestion

Rinse mouth. Get medical advice/attention if you feel unwell.

Skin contact

Wash off immediately with soap and plenty of water. Seek medical attention if irritation persists.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

**Most important symptoms
(acute)**

See section 11 for toxicological information.

**Most important symptoms
(over-exposure)**

See section 11 for toxicological information.

**Indication of any immediate
medical attention and
special treatment needed**

Not applicable.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing
media**Carbon dioxide (CO₂). Dry chemical.**Unsuitable extinguishing
media**

Not available.

Specific hazards

Decomposition products may include the following materials: Carbon dioxide. Carbon monoxide. Hydrocarbons.

**Special protective equipment
for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions,**

Ventilate the area. Eliminate all ignition sources (no smoking, flares, sparks or flames in

protective equipment and emergency procedures

immediate area). Standard safety precautions should be observed when handling this material. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

Methods and materials for containment and cleaning up

Avoid release to the environment. Cover with absorbent material. Collect as much as the spilled material as possible. Keep in suitable and closed containers for disposal. Clean up residue. Dispose of all product, residues and clean-up materials in accordance with local, state, and federal regulations.

7. HANDLING AND STORAGE**Precautions for safe handling**

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. For industrial use only. Not for consumer sale or use.

Conditions for safe storage, including any incompatibilities

No special storage conditions required.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters**

Chemical name	OSHA PEL (TWA)	ACGIH OEL (TWA)	NIOSH - TWA
Mineral Oil	5 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWA
Ethylene/propylene copolymer tube	-	-	-
Arylalkylene Copolymer	-	-	-

Appropriate engineering controls

A safety shower and eye wash station should be available for emergency use.

Individual protection measures, such as personal protective equipment**Eye protection**

Use safety eyewear designed to protect against splash of liquids. Avoid contact with eyes.

Skin and body protection

None under normal use conditions.

Respiratory protection

No special protective equipment required.

Hygiene measures

Avoid contact with skin, eyes and clothing. General industrial hygiene practice.

Canadian Province Occupational Exposure Limits

Chemical name	AB	BC	MB	NB	NL	NS	ON	PE	QC	SK
Mineral Oil	5 mg/m ³ TWA	0.2 mg/m ³ TWA 1 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWAEV	5 mg/m ³ TWA
Ethylene/propylene copolymer tube	-	-	-	-	-	-	-	-	-	-
Arylalkylene Copolymer	-	-	-	-	-	-	-	-	-	-

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical state**

Liquid

Color

Translucent, Various, Color

Odor	Odorless
Odor threshold	Not available
pH	No data available
Melting point/range °C	No data available
Melting point/range °F	No data available
Boiling point/range °C	Not applicable
Boiling point/range °F	Not applicable
Flash point °C / °F	Product does not sustain combustion
Evaporation rate	No data available
Flammability (Solid, Gas)	Not classified
Lower explosion limit	Not applicable
Upper explosion limit	No data available
Vapor pressure	Not applicable
Vapor density	Not applicable
Relative density	0.95
Solubility	Nil
Partition coefficient (n-octanol/water)	No data available
Autoignition temperature °C	Not applicable
Autoignition temperature °F	Not applicable
Decomposition temperature °C	No data available
Decomposition temperature °F	No data available
Viscosity	No data available

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and not reactive under normal conditions of use, storage and transport.
Chemical stability	This material is considered stable.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None known.
Incompatible materials	No known incompatibilities.
Hazardous decomposition products	Hazardous Thermal Decomposition Products:.. Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Dermal. Inhalation. Ingestion. Eyes.

Symptoms

Ingestion may cause stomach pains. Symptoms include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Not available.

Numerical measures of toxicity

Chemical name	Inhalation LC50:	Dermal LD50:	Oral LD50:
Mineral Oil	2062 ppm Rat	> 5000 mg/kg Rat = 22 g/kg Mouse > 24 g/kg Rat	>5000 mg/kg Rat >24 g/kg Rat
Ethylene/propylene copolymer tube	-	-	-
Arylalkylene Copolymer	-	-	-

ATEmix (dermal)

Not available

ATEmix (oral)

Not available

ATEmix (inhalation-gas)

Not available

ATEmix (inhalation-vapor)

Not available

ATEmix (inhalation-dust/mist)

Not available

Carcinogenicity

Chemical name	ACGIH OEL - Carcinogens	IARC	OSHA Carcinogens	NTP
Mineral Oil	A4 A2	-	-	-
Ethylene/propylene copolymer tube	-	-	-	-
Arylalkylene Copolymer	-	-	-	-

Canadian Province carcinogenicity limits

Chemical name	Alberta - Carcinogen	British Columbia - Carcinogen	Manitoba - Carcinogen	New Brunswick - Carcinogen	Nova Scotia - Carcinogen	Quebec - Carcinogen
Mineral Oil	-	IARC 1	ACGIH A2 ACGIH A4	-	ACGIH A2 ACGIH A4	-
Ethylene/propylene copolymer tube	-	-	-	-	-	-
Arylalkylene Copolymer	-	-	-	-	-	-

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish LC50
Mineral Oil	-	> 10000mg/L Lepomis macrochirus 96h
Ethylene/propylene copolymer tube	-	-
Arylalkylene Copolymer	-	-

Persistence and degradability No data available.

Bioaccumulation No information available

Chemical name	CAS-No	Partition coefficient (log Kow)	Bioconcentration factor (BCF)
Mineral Oil 8042-47-5	8042-47-5	>6	-
Ethylene/propylene copolymer tube 9010-79-1	9010-79-1	-	-
Arylalkylene Copolymer TRADE SECRET	TRADE SECRET	-	-

Mobility in soil Not available.

Other adverse effects None known

13. DISPOSAL CONSIDERATIONS

Disposal information Dispose of all product, residues and clean-up materials in accordance with local, state, and federal regulations.

Contaminated packaging Dispose in accordance with local, state and federal regulations. Dispose of contents/container to an approved waste disposal plant.

14. TRANSPORTATION INFORMATION

Shipping Descriptions

DOT Not Regulated

TDG
Proper shipping name Not regulated

IATA
ID-No Not Regulated

IMDG/IMO
ID-No Not Regulated

Marine Pollutants

Chemical name	CAS-No	USDOT Marine Pollutant	Canada TDG Marine Pollutant	IMDG Marine Pollutant
Mineral Oil	8042-47-5	-	-	-
Ethylene/propylene copolymer tube	9010-79-1	-	-	-
Arylalkylene Copolymer	TRADE SECRET	-	-	-

Special Precautions

Multi-modal shipping descriptions are provided for informational purposes and do not consider container size. The presence of a shipping description for a particular mode of transport (sea, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport. People loading and unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations.

15. REGULATORY INFORMATION

State regulations**U.S. state Right-to-Know regulations**

Chemical name	CAS-No	Massachusetts - RTK	New Jersey - RTK	Pennsylvania - RTK
Mineral Oil	8042-47-5	X	X	X
Ethylene/propylene copolymer tube	9010-79-1	-	-	-
Arylalkylene Copolymer	TRADE SECRET	-	-	-

California Prop. 65

Chemical name	CAS-No	California Prop. 65
Mineral Oil	8042-47-5	-
Ethylene/propylene copolymer tube	9010-79-1	-
Arylalkylene Copolymer	TRADE SECRET	-

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. Federal Regulations**Methylene Chloride notification** No Information Available**US EPA SARA 313**

Chemical name	CAS-No	CERCLA/SARA Hazardous Substances RQ	SARA 313 - Threshold Values
Mineral Oil	8042-47-5	-	-
Ethylene/propylene copolymer tube	9010-79-1	-	-
Arylalkylene Copolymer	TRADE SECRET	-	-

US EPA SARA 311/312 hazardous categorization**TSCA and Canadian Inventories**

Chemical name	Inventory - United States - Section 8(b) Inventory (TSCA)	U.S. - TSCA (Toxic Substances Control Act) - Section 12(b) - Export Notification	DSL	NDSL
Mineral Oil	X	-	X	-
Ethylene/propylene copolymer tube	X	-	X	-
Arylalkylene Copolymer	-	-	-	-

Legend X - Listed

16. OTHER INFORMATION**NFPA**

Health	0
Flammability	1
Instability	0
Specific hazard	None

HMIS

Health	Not available
Flammability	Not available
Physical hazards	Not available
Personal protection	To be determined by customer.

Notice: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

Prepared by Regulatory Affairs

Issue date 17-Mar-2020

Revision date 17-Mar-2020

Revision note**Key to abbreviations**

ACGIH (American Conference of Governmental Industrial Hygienists)
ATE (Average Toxicity Estimate)
DSL/NDSL (Domestic Substance List/Non-Domestic Substance List)
HMIS (Hazardous Materials Identification System)
IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG/IMO (International Maritime Dangerous Goods/International Maritime Organization)
NFPA (National Fire Protection Association)
NTP (National Toxicology Program)
OEL (Occupational Exposure Level)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEL (Permissible Exposure Limit)
TSCA (Toxic Substance Control Act)
USEPA (United States Environmental Protection Agency)

Disclaimer

The information accumulated herein is believed to be accurate, but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

End of Safety Data Sheet